

Digital Video Software Macintosh

Version 29

Instruction Manual





Contents

Read This First	4
Checking Supplied Accessories	4
System Requirements	5
What is Digital Video Software?	6
Windows	7
CameraWindow	7
[Acquire Images] Tab	7
[Print] Tab	
[Set to Camera] Tab	
Camera Browser Window	
Browser Window	
[Image Viewer] Window	
[Trim Image] Window	
[Color/Brightness Adjustment] Window	
[Red Eye Correction] Window	
[Insert Text] Window	. 17
[Level Adjustment] Window	
[Tone Curve Adjustment] Window	. 18
[Sharpness] Window	. 19
[Auto Adjustment] Window	
Installing the Digital Video Software	
Before Downloading Still Images	
Connecting the Camcorder to a Computer	
Downloading Still Images	. 24
Using the Computer to Download Still Images (CameraWindow)	
Auto-downloading	
Applying Auto-downloading Settings	
Downloading the Selected Still Images from the CameraWindow	
Using the Camcorder to Download Still Images (Direct Transfer Function)	
Setting the Direct Transfer Download Destination Folder	
Direct Transfer	
5	. 33
Auto-downloading	. 34
Applying Auto-downloading Settings	
Downloading the Selected Still Images from the ImageBrowser	
Printing Still Images	
Printing Still Images without Downloading Them	
Printing Still Images Already Downloaded to the Computer	
[Photo Print]	
[Index Print]	
[Layout Print]	
Organizing Images	
Applying Star Rating	
Specifying the Keywords	
Classifying the Images	
Sort by the Shooting Date	
Sort by the Star Rating	
Renaming Multiple Files	
Searching for Images	. 54

Creating a Movie from the Still Images	56
Editing Movies (MovieEdit Task)	
Playing Back Movies	
Exporting Images	
Changing the File Type and Saving	
Extracting Still Images from Movies (MovieFrame Task)	
Uploading Still Images to the camcorder	
Using Various Functions	
Attaching Images to E-mail Messages	
Running a Slide Show	
Adding Sound to a Still Image	
Reviewing and Changing the Owner Name of the Camcorder	
Uninstalling the Software	
Uninstalling ImageBrowser	
Troubleshooting	72

Disclaimer

- While every effort has been made to ensure that the information contained in this guide is accurate and complete, no liability can be accepted for any errors or omissions. Canon reserves the right to change the specifications of the hardware and software described herein at any time without prior notice.
- No part of this guide may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language in any form, by any means, without the prior written permission of Canon.
- · Canon makes no warranties for damages resulting from corrupted or lost data due to mistaken operation or malfunction of the camcorder, the software, memory cards (SD, SDHC and miniSD Cards), personal computers, or peripheral devices, or due to use of a memory card not initialized by a Canon camcorder.

Trademark Acknowledgments

- Macintosh, Mac OS, iPhoto and QuickTime are trademarks of Apple Inc., registered in the U.S. and other countries.
- miniSD[™] is a trademark of SD Card Association.
- The SD logo is a trademark. The SDHC logo is a trademark.
- Intel is a trademark or a registered trademark of Intel Corporation or its subsidiaries in the United States and other countries.
- Other names and products not mentioned above may be registered trademarks or trademarks of their respective companies.

© Canon Inc. 2008 All rights reserved.

Safety Precautions


Do not play the supplied CD-ROM(s) in any CD player that does not support data CD-ROMs. Playing the CD-ROM(s) in an audio CD player (music player) could damage the speakers. It is also possible to suffer from hearing loss from listening with headphones to the loud sounds of a CD-ROM played on a music CD player.

Checking Supplied Accessories

Use the following accessories to download recorded still images from a memory card to your computer.

- Supplied USB cable
- DIGITAL VIDEO Solution Disk

The cable supplied with your camcorder may be different from the one described in this manual.



The explanations in this manual use mainly Mac OS X version 10.3 screen shots. The steps and windows may vary depending on your computer.



OS:	Mac OS X (version 10.3/10.4)		
Computer Model:	Computers that come with above OS preinstalled		
CPU:	PowerPC G3/G4/G5, or Intel processor		
RAM:	256 MB or more		
Interface:	USB		
Free Hard Disk Space:	Canon Utilities - ImageBrowser 300	MB or more	
Display:	1024×768 pixels/32,000 colors or better		



- Proper operation is not guaranteed on any particular system, even if it meets the requirements outlined above.
- ImageBrowser does not operate on disks initialized with the Unix File System (UFS).
- O A CD-ROM drive is required to install the software.

What is Digital Video Software?

Digital Video Software allows you to download still images you recorded with the camcorder to a computer and manage, print, and edit them.

ImageBrowser

- Viewing still images as thumbnails
- · Managing by shooting date folders with still images
- · Categorizing, organizing, and searching large volumes of still images
- Printing still images
- Editing still images
- · Changing the data for still images and save them as new files
- Attaching still images to e-mail
- Viewing still images in a slide show
- · Adding sound to a still image

CameraWindow

- Downloading still images from a memory card to your computer
- Viewing still images recorded in a memory card
- Printing still images recorded on a memory card without downloading the still images to the computer

This instruction manual explains how to install the software, what you can do with the main features and how to operate them. For more detailed operational instructions, refer to the Help menu of each software program.

CameraWindow

After you connect the camcorder to your computer, you can use CameraWindow to download still images on the memory card to the computer. Furthermore, you can print still images recorded on the memory card without having the images downloaded to the computer (\bigcirc 37), and you can confirm and change the owner's name of the camcorder you specify (\bigcirc 70). Refer to *Using the Computer to Download Still Images (CameraWindow)* (\bigcirc 25) for launching the software. The Remote capture function is not supported by the camcorder.



• Click the [CameraWindow] icon in the Dock (bar appearing at the bottom of the desktop) if the Camera Control window does not appear.

• When the [CameraWindow] icon is not in the Dock, double click the [Canon Utilities] folder on the drive where the program was installed, followed by the [CameraWindow] folder and the [CameraWindow] icon.

[Acquire Images] Tab

After you connect the camcorder to your computer, use this tab to download still images on the memory card to the computer.

Camera Control window

C	000	(Canon *****		
{	Acquire Images	Print	Set to Camera	Remote shoe	oting
	Downloads usin	j	ra s the camera's bu	utton	
	Downloads usin	- 1711 - 1	outer nload images		
	Lets ye	ou selec	t and download i	images	
4	Preference	s	\supset	Exit	

Images will be downloaded to the computer, and ImageBrowser starts.

[Print] Tab

Т

After connecting the camcorder to your computer, use this tab to print still images on the memory card without downloading them to the computer first. The window varies depending on the selected printing type. Refer to *Printing Still Images without Downloading Them* (\square 37).

Camera Control window

Print All Photos Print Contact Sheet with All Photos Print according to DPOF settings Select image and print	Acquire Images	Print	Set to Camera	Remote shooting
Print according to DPOF settings				otos
	Print a	accordin	g to DPOF settin	
Preferences Exit		25	Э	Exit

Prints all still images in the card as an index page (rows of images with file names and image information).

■ [Set to Camera] Tab


This tab is used for confirming and changing the owner's name of the camcorder you can specify $(\prod 70)$ and uploading the still images to the card. My Camera function is not supported by the camcorder.

Camera Control window

	000		anon * * * * *	
	Acquire Images	Print	Set to Camera	Remote shooting
	Set My	Camera	L	
	Confirm	ns/char	iges camera setti	ings
	Upload	s image	s to the camera	
	Preferences) (Exit
Upload	ing the images from	the con	nputer.	

Enter or change the name of the camcorder's owner.

■ Camera Browser Window




Selects the still image selection method.

Changes the size of the thumbnail.




If your camcorder supports wide size still image (16:9 such as 1920 x 1080 pixels) recording, the thumbnails that appear in this window will be also 16:9 images. The sample images used on this instruction manual are normal size still images (4:3).



Browser Window

ImageBrowser is a software program used for organizing, printing and editing the downloaded still images. To start ImageBrowser, click the [ImageBrowser] icon in the Dock. If the ImageBrowser icon is not in the Dock, double-click the [Canon Utilities] folder on the drive on which the program was installed, followed by the [ImageBrowser] folder and the [ImageBrowser] icon.



1 Explorer View

In the [Last Acquired Images] panel, the newly downloaded still images are placed into virtual folders classified by recording date. In the panel below, the folders that the downloaded still images are actually saved in are displayed. Selecting the [Favorite Folders] tab shows only the folders that are registered as favorites. The [All Folders] tab shows all available folders. [] indicates that newly downloaded still images are in the folder.

Clicking the triangle symbol besides the folder name displays/hides the folder contents. To register a folder as Favorites, follow the instructions below.

When you have selected the [Favorite Folders] tab:

Click [Add] and specify a folder.

When you have selected the [All Folders] tab:

Select a folder and click [Add to Favorites].

To remove the registered folder, select the folder, and click [Remove].

2 Browser Area

This area displays the images contained in the selected folder.

3 View Mode

You can select a view mode of images in the Browser Area.

[Preview Mode]: The thumbnails are displayed at the bottom of the Browser Area, and the Information Panel is displayed in the upper part.




[List Mode]: The images are displayed as thumbnails. The thumbnails can be enlarged/reduced by selecting [Enlarge] or [Reduce] from the [View] menu.



Context Menu


When you click on a thumbnail while pressing the [control] key on the keyboard, a context menu will appear. The context menu allows you to select several functions directly without using the menu bar located on top of the window.



[File Information]

When the view mode is set to [List Mode], select [Get Info] from the [File] menu to display the following window.

You can rename files.



You can play sounds if they are attached to images.

4 Image display control panel



1	Filter Tool	Allows you to select which still images to display according to the star rating. When you download the images, the star rating is set to two stars as a default. To change the star rating, refer to <i>Applying Star Rating</i> $(\square 48)$.
2	Enlarge/Reduce	Enlarges/Reduces the thumbnails in the Browser Window.
3	Selecting Images	Allows you to select all images and deselects images.
4	Display Pattern	Allows you to change the appearance of the Browser Window.


5 Control panel



1	Canon Camera	Opens CameraWindow.
2	View Image	Displays a selected image in the [Image Viewer] window.
3	SlideShow	Displays still images in a slide show.
4	Print & Email	After you download still images to a computer, use this to print them or to attach them to e-mail messages.
5	Send to Trash	Deletes the selected images.

[Image Viewer] Window

The [Image Viewer] window appears when you select an image and click [View Image] or double click an image.




1	Back/Next	Displays the previous/next image in the current folder.
2	Save	Allows saving the edited image.
3	Edit	Allows you to perform the following operations: red-eye correction, auto correct, color and brightness correction, sharpness adjustment, trimming, inserting text, or registering external image editing applications. Unable to use when the multiple images are selected.
4	Number of Displays	Allows you to display multiple images at the same time.
5	Synchronize	Synchronizes View functions across all displayed images.
6	Full Screen	Displays an image in full screen size. To return to Browser Window, click the full screen sized image or press any key.
7	Print	Prints the selected still image. Refer to [Photo Print] (11 42).
8	Show Shooting Information	The shooting information of the image will be displayed. [Show AF Frame] cannot be used for the images recorded by the camcorder.

Macintosh

[Trim Image] Window

Select [Trim Image] from the sill image to crop and click [Trim Image] to trim the image.



[Color/Brightness Adjustment] Window

Select [Color/Brightness Adjustment] from the Adjustment] icon located at the bottom of the [Image Viewer] window. Use this to change the image's properties by adjusting the RGB intensity, saturation and brightness.

		Color/Brihgtness Ad	justment			
No.			RGB A	djustment	Color Adjustmer	nt
	A starter and a	Red		· · · 🖓	1 1 1 1	0.
	A	Green	· · ·	· · · 🖓	1 1 1 1	0
	A HAR	Blue	1 1	· · 🖓	4 4 4 4	0
Show Ori	ginal Image	Undo A		C	Indo C	Redo
				e	Cancel)	ОК
Display Size:	640 x 480					

■ [Red Eye Correction] Window

Select [Red Eye Correction] from the Arrow icon located at the bottom of the [Image Viewer] window. Use this to correct still images in which people's eyes appear red.




■ [Insert Text] Window

Select [Insert Text] from the site icon located at the bottom of the [Image Viewer] window. Use this to write text on still images.

	Insert Text	
	Font Name:	Geneva 🛟
	Font Size:	72
	Text Color:	
	Text	B / U S
	✓ Antialias	
	Text:	
	Collect the loca	tion on the image first, then type your text in here.>
	C	Import Comment)
		Import Shooting Date/Time
Show Original Image	Fit to window	; Q Q
	Undo All	Undo Redo
		Cancel OK
isplay Size: 640 x 480		Display: 56 %

■ [Level Adjustment] Window

Select [Level Adjustment] from the \bigotimes_{Edit} icon located at the bottom of the [Image Viewer] window. Use this to adjust the levels in a still image to change its appearance.



■ [Tone Curve Adjustment] Window

Select [Tone Curve Adjustment] from the \Im_{Eff} icon located at the bottom of the [Image Viewer] window. Use this to adjust the tone curve for a still image to change its appearance.

		Tone Curve Adjustment	
		RGB	Input: 246 Output: 36
Show Orig	jinal Image		ndo Redo
Display Size:	640 x 480		ancel OK

■ [Sharpness] Window

Select [Sharpness] from the sicon located at the bottom of the [Image Viewer] window. Use this to emphasize and clarify the outlines of people and objects.



[Auto Adjustment] Window

Select [Auto Adjustment] from the sile icon located at the bottom of the [Image Viewer] window. Use this to automatically correct the color balance of the still image.



Installing the Digital Video Software



Before you connect the camcorder to the computer with the USB cable for the first time, you must install the Digital Video Software.



Your digital video camcorder is equipped with the standard Picture Transfer Protocol (PTP). This protocol enables you to download still images by simply connecting the camcorder to a computer with the USB cable (using software such as iPhoto or Image Capture preinstalled on Mac OS X).

However, note that there are several limitations to downloading still images with this method.

- It may take a few minutes, after connecting the camcorder, until you can download still images.
- Still images protected on the camcorder may lose this setting once they are downloaded to the computer.
- When downloading the still images by Image Capture that comes with Mac OS, the Exif version may change to 2.1 and image information may be modified. Either install ImageBrowser to download the still images or use the following procedure.
 - 1) Connect the camcorder to the computer, and start Image Capture.
 - 2) Click [Options].
 - 3) Remove the checkmark from [Embed Colorsync profile] in the [Download Options] tab and click [OK].
- **1** Close all programs that are running, and check that the camcorder is not connected to the computer.
- **2** Set the DIGITAL VIDEO Solution Disk in the computer's CD-ROM drive.
- **3** Double click the CD-ROM icon and the [Canon Digital Video Installer] icon.

20

4 Click [Install] under Digital Video Software.

Installer Panel —	Canon	DIGITAL VIDEO Solution Disk
		Digital Video S Install Exit

5 Select [Easy Installation] and click [Next]. To install the software individually, select [Custom Installation].


	Selecting an Installation Type
ct	an installation type and click [Next].
6	Easy Installation
Ir	istalls the programs. We recommend this option for users unfamiliar with the
ir	istallation.
0	Custom Installation
L	ets you select the programs you want to install. We recommend this option for users millar with the installation.



When installing the software by selecting [Easy Installation], EOS Utility (software for downloading still images from the Canon EOS Digital SLR Cameras) will be installed. This software is used only for compatible Canon EOS Digital SLR Cameras, and the camcorder does not support this software.


6 Read the license agreement and click [Agree] to accept the terms.

7 Review the installation settings and click [Next].



8 When the "Installation has finished." message appears, click [Finish].

After the installation is complete, restart the computer as prompted.



9 Remove the DIGITAL VIDEO Solution Disk from the CD-ROM drive.

When installation is complete, remove the DIGITAL VIDEO Solution Disk before you connect the camcorder to the computer.


22

Connecting the Camcorder to a Computer



2

- Be sure to install the Digital Video Software before you connect the camcorder to the computer.
- Make sure the camcorder is being powered using the power adapter before connecting it to a computer.
- Connect the USB cable directly to one of the computer's main USB ports. The interface may not function correctly if the camcorder is connected via a USB hub.
- The connection may not operate correctly if you are using other USB devices, excluding USB mice or keyboards, at the same time. If this occurs, disconnect the other devices from the computer and try reconnecting the camcorder.
- Do not connect two or more camcorders to the same computer via the USB interface. The connections may not operate correctly.
- Never allow the computer to go into standby (sleep) mode while a camcorder is connected via the USB interface.




• See your camcorder instruction manual for connecting instructions.



Connect the power adapter to the camcorder.

- **3** Set the camcorder to still image playback mode. Wait until the card access indicator stops flashing.
- **4** Attach the supplied USB cable to the computer's USB port and the camcorder's USB Terminal.



Downloading Still Images

Below explains the procedure for connecting a camcorder to a computer using the USB cable. For connecting a card reader/writer, see Using a Card Reader/Writer $(\square 33)$.



- You cannot connect the camcorder to a computer if the memory card contains 1800 images or more, and you may not be able to download images with ImageBrowser or OS standard software (depending on the computer you are using and the installed OS) if the memory card contains more than approximately 1000 images. In this case, use a card reader/writer to download images.
 - For instructions on how to connect a card reader/writer, see Using a Card Reader/Writer (1133).
- Observe the following precautions when the camcorder's access indicator is flashing. Failure to do so may cause memory card data to become corrupted.
 - Do not remove the memory card or detach the USB cable.
 - Do not turn off the camcorder or the computer.
 - Do not change the position of the POWER switch or the 🐂 / 🗅 switch.
- Images recorded onto the memory card or downloaded to the hard disk are important original data files. Create a copy of the file first before working on it on your computer.

Using the Computer to Download Still Images (CameraWindow)

You can select a downloading method in the Camera Control window.

Auto-downloading

1

Connect the camcorder to the computer ($\square 23$).

- The Camera Control window will be displayed. If it does not appear automatically, click the [CameraWindow] icon in the Dock (the bar at the bottom of the desktop).
- If you do not wish the Camera Control window to open automatically when you connect the camcorder, click the [File] menu and clear the check mark from the [Displays this screen when the camera is connected].

2 Click [Starts to download images].

Click [Exit] to close the Camera Control window after downloading images.



Applying Auto-downloading Settings

This task allows you to apply auto-downloading settings. You can specify the types of still images and the destination folder.

1 In the Camera Control window, click the [Acquire Images] tab and click [Preferences].



2 Select [Change auto download settings] and click [Next].

CameraWindow – Auto Download Settings	
Which download method do you want to perform setup for?	
Change direct transfer download destination folder Change auto download settings	
Next> Cancel	


3 Select the image type to be downloaded and click [Next].

	CameraWindow - Auto Download Settings (1)	
	Select the image type to be downloaded.	
	New images All images	
	 Images whose print order settings were specified with the camera Images whose transfer settings were specified with the camera 	
	Download Options	
Place a check mark here — if you wish the original image in the memory card to be deleted after downloading.	When the download is complete, the original image is deleted from the camera.	

4 Specify the destination folder settings and click [Next].

	CameraWindow - Auto Download Settings (2)		
Destination Folder —	Specify the location at which to save the image. A new folder will be created for each of the images' shooting dates in the following folder, and the images will be saved there.		
Click this button to browse where you want to save the images.	Macintosh HD:Users:video:Pictures Create Sub folder Shooting YearMonthDate Example: Macintosh HD:Users:video:Pictures 200X_01_15	Browse	
Select to specify the name of the subfolder.	<previous next=""></previous>	Cancel	

5 Specify a process to perform after the image is downloaded and click [Next].



The window below will be displayed when you select [Perform selected processes consecutively] (you can redisplay the window by clicking [Select]). Select a process to perform after the image is downloaded, and click [OK].

	imagebrowser Automation wizard	
	Select the process to be performed after downloading the image.	
	 Display slide show Photo Print Index Print 	
	Cancel OK	
Click [Finish].		
	CameraWindow – Auto Download Settings (4)	
	Enable or disable the image auto-download function.	
Placing a check mark - here makes images in the camcorder to be automatically download when the camcorder is connected.		
	<previous cancel<="" finish="" td=""></previous>	

28


Downloading the Selected Still Images from the CameraWindow

Click [Lets you select and download images].

1



- **2** Select images you wish to download and click [Download Images].
 - Clicking on 2 images while holding down the [option] + [shift] key selects also all images between the 2 images.
 - Clicking on different images while holding down the [shift] key selects multiple images.



3 Confirm the settings and click [Start Download].ImageBrowser starts, and Browser Window appears.

	CameraWindow – Download images
	Download images according to the following settings.
Settings for the folder and the	Specify Folder
subfolder for downloaded images	Save to (Folder Name) Macintosh HD:Users:video:Pictures
	Create Sub Folder
	Do not create
	Donordicate
Settings for the file prefix and the consecutive numbers	Specify File Name Do not modify
	Change Settings
	Cancel Start Download
	Cancel
To make changes, click [Change Se [Specify Folder] Tab	ettings].
	CameraWindow – Change Settings
Specify the settings of the fold	er Specify Folder Specify File Name
and subfolder.	Save to (Folder Name)
	Macintosh HD:Users:video:Pictures:200X_01_15 Browse
	A subfolder into which the image will be saved will automatically be created in this folder.
	Create Sub folder
	Shooting YearMonthDate
	New Name IMAGE
	Example: Macintosh HD:Users:video:Pictures;200X_01_15 200X_01_15
	Cancel OK
[Specify File Name] Tab	CameraWindow – Change Settings
	Creatify Pallace Constitution
Specify the file name with whic	Ch Specify Folder Specify File Name
to save the images.	Do not modify
	File Prefix:
	IMG
	Assign Sequence No.
	Number of Digits: 4 (‡) (1–9)
	Start: 0001 (0000-9999)
	Example:
	(xxx: file extension will be the same as the original file name)
	Cancel OK

30

•

Using the Camcorder to Download Still Images (Direct Transfer Function)


If your camcorder supports the Direct Transfer function, you can use the camcorder to download images.

Setting the Direct Transfer Download Destination Folder





2 Select [Change direct transfer download destination folder] and click [Next].



3 Specify the destination folder settings and click [Finish].

	CameraWindow - Auto Download Settings (1)		
Destination Folder	Specify the location at which to save the image.		
	A new folder will be created for each of the images' shooti folder, and the images will be saved there.	ing dates in the following	
L	Macintosh HD:Users:video:Pictures	Browse	
Click this button —	Create Sub folder		
to specify the destination folder.	Shooting YearMonthDate		
	Example: 👔 Macintosh HD:Users:video:Pictures		
	200X_01_15		
Select to specify —— the name of the subfolder.	During	- Const	
	<pre></pre>	Cancel	

Direct Transfer

1

Select a transfer option on the camcorder screen and press the joystick.

See your camcorder instruction manual for how to set and operate the camcorder to transfer images.

Using a Card Reader/Writer

Select a download method in the image download window.

The basic operations are the same as when you connect the camcorder to the computer. Follow the procedure below to open the CameraWindow. For instructions on how to connect the card reader/writer, refer to its manual.



If you are using a camcorder that supports miniSD cards but your card reader/ writer does not support them, please purchase an appropriate adapter for your card. If you are using SDHC cards, you need to use a card reader/writer compatible with SDHC cards.

1 Insert a memory card containing images recorded with the camcorder into the card reader/writer and connect it to the computer.

2 Select a method to download the images.

- [Download Images]: A progress bar will be displayed and images will be downloaded to the computer, and ImageBrowser starts. To apply auto-downloading settings, refer to *Applying Auto-downloading Settings* (1) 34).
- [Lets you select and download images]: The ImageBrowser opens, displaying the still images on the camcorder's memory card as thumbnails (small images).



Auto-downloading

1

Click [Download Images].

Click [Exit] to close the window after downloading images.




Applying Auto-downloading Settings

This task allows you to apply auto-downloading settings. You can specify the types of still images and the destination folder.

1 Click [Preferences].



2 Configure the settings and click [OK].




- Downloading the Selected Still Images from the ImageBrowser
- **1** Click [Lets you select and download images].



2 Select images you wish to download and click [Download Images].

- Clicking on 2 images while holding down the [option] + [shift] key selects also all images between the 2 images.
- Clicking on different images while holding down the [shift] key selects multiple images.



Printing Still Images without Downloading Them

This section explains how to print still images by connecting the camcorder to the computer. The steps are basically the same when using a card reader/writer. You can select one of the following 4 methods to print still images in the card without downloading images to the computer.

- [Print All Photos]
 - Prints all still images recorded on a memory card in the connected camcorder or in a card reader/writer one image per page.
- [Print Contact Sheet with All Photos]
- Prints all still images recorded on a memory card in the connected camcorder or in a card reader/writer in an index (rows of images with file names and image information).
- [Print according to DPOF settings]
- Prints according to the DPOF print settings set by the camcorder.
- [Select image and print]
 - A list of the still images recorded on a memory card in the connected camcorder or in a card reader/writer will be displayed, and you can select images you wish to print.
- **1** Connect the camcorder to the computer. ($\Box 23$)
- **2** Click the [Print] tab in the Camera Control window.



3 Click on one of the 4 printing methods.

	Print All P	hotos		
	Print Cont	act Sheet v	with All Pho	otos
B	Print acco	rding to DI	POF setting	IS
	Select ima	ge and pri	nt	

4 Specify the print settings and click [Print].

The window varies depending on the selected printing method in step 3.

When you have selected [Print All Photos]:

Selects the printer.		Sets the paper siz	ze settings.		
000		Photo Print			
Printer					
Canon ** ***		-			
Page setup					
Paper size :				RUDA	
A4			~		
Click [Page Setup] to enable			A. 2		
borderless printing on supported printers.				5.	
			N. 7		
		18	Contraction of the	Í	1
			and the second	2	1000
Charting Data (Time					
Shooting Date/Time		I CON MERCIN	Sector Parts		
Properties					
			T		
		Remove unwanted region of your photo.		Add some text to with this photo.	print
		▶ Image : 1/4	Copies:	1	Total : 4 pages
			E	Close	Print
Sets the shooting date/ti					of print copies
imprint and color settings	5.			displayed ir	•
					en still images
		it multiple	images are	e selected.	

When you have selected [Print Contact Sheet with All Photos]:

	Selects th	ne printer.	Clic	ck these bu	ttons to switch	between p	ages.
			Inde	x Print			
	Printer Name: Canon * * * * *		Preview		a man ang mag ang ang ang ang ang ang ang ang ang a		
	Paper size : A4 Orientation: Portr On printers that su printing, this feature change this setting Copies: Page Layout Setting Rows:	upport borderless Ire is not ck [Page Setup] to g. 1			ar Sono ar Son	Sec.	
	Columns: Page Caption Settin Shooting Info	2 () ngs rmation Settings	٢		Page: 1 / 1		۲
	Header / Foot	er Settings		Rotate Left	Rotate Right Trim	Image	
cc	omments, head	ttings for shooti lers, footers and rows and colum	d page nur		Click this to r function (cro the still imag	use the trin ps a portio e).	nming

Sets the printer and paper size settings.

Sets the number of print copies of the contact sheets.


When you have selected [Print according to DPOF settings]:

• The selected still images will be printed according to the number of copies set with the camcorder. The same window described in the previous section *When you have selected [Print All Photos]:* (39) will be displayed.

40

When you have selected [Select image and print]:

If you selected [Select image and print], the following window will be displayed. Select still images you wish to print, and click [Print]. If you selected [Contact Sheet Print], the same window described in the previous section When you have selected [Print Contact Sheet with All Photos]: (140) will be displayed. If you selected [One Photo Per Page Print], the same window described in the previous section When you have selected [Print All Photos]: (139) will be displayed instead. Set the print settings and print the still images.



- **5** When the print window opens, click [Print].
- **6** When the printing finishes, click **6** to close the window.

Printing Still Images Already Downloaded to the Computer

You can select one of the following 3 methods to print still images downloaded to the computer.


- [Photo Print]
- Prints one still image per page.
- [Index Print]
 - Prints selected images in rows with file names and image information.
- [Layout Print]
 - Allows you to lay out the selected still images in special arrangements and add text and decorations, printing them as one page in a fancy album.

[Photo Print]

Select the still images you wish to print and click [Print & Email] ▶ [Photo Print] from the displayed menu.



2 Specify the print settings and click [Print].



3 When the print window opens, click [Print].

- **4** When the printing finishes, click **1** to close the window.
- [Index Print]
- Select still images you wish to print and click [Print & Email]
 [Index Print] from the displayed menu.



2 Specify the print settings and click [Print].

Sets the paper size and orientation.


Selects the printer.	Click these buttons to switch between pages.
00	Index Print
Printer	Preview
Name:	1
Canon * * * * *	
Page setup Paper size : A4 Orientation: Portrait On printers that support borderless printing, this feature is not recommended.Click [Page Setup] to change this setting.	Image: Second
Copies: 1 Page Layout Settings Rows: 3 Columns: 2	
Page Caption Settings — — — — Shooting Information	Page: 1/1
Header / Footer	Rotate Left Rotate Right
	Close Print
Sets the print settings for shootir comments, headers, footers and	
Sets the number of rows and colum	ns. Rotates still images.
Sets the number of print copies of the c	ontact sheets.

- **3** When the print window opens, click [Print].
- **4** When the printing finishes, click **1** to close the window.


■ [Layout Print]

- You can select one of the following 3 layout print methods.
 - [Custom layout printing]: Allows you to specify the size and location of the still images freely.
 - [Fixed photo size printing]: Allows you to specify the size of the all still images.
 - [Tiled photo printing]: Allows you to have the program lay out and print the specified number of images per page with no gaps between still images on the page.
- Selecting [Edit] [Add Text] allows you to write some text on a still image. You can move added text boxes on the still image by dragging them.
- Selecting [Edit] [Edit Header] allows you to insert a header.

Select still images you wish to print and click [Print & Email] [Layout Print].



2 Select a print style from the pull-down menu and click [Print] after specifying the print settings.



- **3** When the print window opens, click [Print].
- **4** When the printing finishes, click **1** to close the window.

Applying Star Rating

- This task allows you to apply ratings to your images from one star to three stars. The star rating can be used as one of the search conditions, or for the selection of images to be displayed in the Browser Window.
- The default setting of the star rating is two stars.



2 Select [Change Star Rating] from the [Edit] menu.




The default setting of the star rating is two stars.

Specifying the Keywords

You can use keywords when searching for images.

1 Select an image to which you wish to apply the keyword.

2 Select [Keyword] ▶ [Settings] from the [Edit] menu.



3 Place a check mark next to the keyword you wish to apply and click [OK].

		Others
Home Beach City	Party Holiday Birthday	
xes to change the way Ke	words are applied to the se	lected images. To
	Beach City	Beach Holiday



You can add and delete keywords, or change the keyword list in the [Manage Keywords] window by selecting [Keyword] ▶ [Manage] from the [Edit] menu.

Classifying the Images

This task allows you to sort images into a folder according to the shooting date or star rating.

Sort by the Shooting Date

1 Select the images you wish to classify and select [Organize Image] ▶ [Sort Images] from the [File] menu.

File	Edit	View	Internet	Window	Help
Op	en			жo	
Clo	se			жw	
Sav	e			₩S	
Sav	e As			合発S	
Sea	rch			ЖF	
Exp	oort Im	age			
Og	anize I	mage			Sort Images
Pro	cessin	g RAW I	mage		Rename
Co	nnect t	o Came	ra		
Rev	write Ir	nage to	Memory C	ard	
Prin	nt			•	
Sou	und			•	

2 Select [The files will be separated into folders for each shooting date.] and click [Next].

Sort Images
Select the sort method for the selected image's folder.
• The files will be separated into folders for each shooting date.
O The files will be organized by Star Rating.
Cancel Next >

50

3

Specify the sort settings and click [OK].

The selected images are classified into the specific folder.


	Organize by Shooting Date
ne files will be separa	ated into folders for each shooting date.
Save To:	
A new folder will b	e created in this folder.
Macintosh HD:User	s:video:Pictures:200X_01_1 Browse
Sort Folder Settings:	
	ving settings, a new folder is created, and ted by each of their shooting dates.
Folder Name:	YearMonthDate
	* Edit
New Name:	
	:video:Pictures:200X_01_15:2002_03_28
Macintosh HD:Users	:video:Pictures:200X_01_15:2002_03_28
	:video:Pictures:200X_01_15:2002_03_28

Sort by the Star Rating

Select the images you wish to classify and select [Organize Image] ▶ [Sort Images] from the [File] menu.

File	Edit	View	Internet	Window	Help
Op	en			жо	
Clo	se			жw	
Sav	e			₩S	
Cav				企業S	
Sea	rch			ЖF	
Exp	ort Im	age			
Ogi	anize I	mage		>	Sort Images
Pro	cessin	g RAW I	mage		Rename
Cor	nnect t	o Came	ra		
Rev	vrite Ir	nage to	Memory C	ard	
Prir	nt			•	
Sou	Ind			Þ	

2 Select [The files will be organized by Star Rating.] and click [Next].



3 Specify the sort settings and click [OK].

copy/move me.	s with the following star rating.
0☆	
●☆☆	
0***	
Copy/move file:	s to the following folders.
Macintosh HD:	Users:video:Pictures:200X_01_15 Browse
py/Move Image	s Setting
Copy	
Move	

Renaming Multiple Files

This task allows you to rename multiple files at the same time, or to rename and copy multiple files.

1 Select the images you wish to rename and select [Organize Image] ▶ [Rename] from the [File] menu.

File	Edit	View	Internet	Window	Help
Op	en			жo	
Clo	se			жw	
Sav	e			₩S	
Sav	e As			合第5	
Sea	rch			ЖF	=
Exp	oort Im	age			
Og	anize I	mage			Sort Images
Pro	cessin	g RAW I	mage		Rename
Co	nnect t	o Came	ra		
Rev	write Ir	nage to	Memory C	ard	
Prin	nt			•	
Sou	und			Þ	

2 Specify the settings and click [OK].


The images are renamed according to the settings specified.

	Rename
	Select the post-conversion file name type.
Placing a check mark here makes copies of images with new names. The name of the original images will not be changed.	 Copy Image New Name + Number Shooting Date + Number
inages will not be changed.	 New Name + Shooting Date + Number Shooting Date + New Name + Number
	New Name: New Name
	Number: Specify Number of Digits 3 2 Specify a Start Number 1
	Example: New Name_001.xxx (The same extension as the original is entered in xxx)
	Cancel OK

Searching for Images


This task allows you to search for images by star rating, modification date, shooting date, comment or keywords.

- **1** Select a folder in the explorer view.
- **2** Select [Search] from the [File] menu.



3 Specify the search conditions and click [Search Now].

- The search results are displayed as thumbnails.
- Select at least one search condition.
- Clicking the local isoloses the parameters of settings.




54




Click [Finish].

• To change the search parameters and perform another search, click [Back] and repeat steps 3-4.



• The images of the search result are displayed in the [Search Results] folder. You can print or copy these images to another folder.





The searched images will remain in this folder until ImageBrowser is closed or another search is performed, but if you delete an image in this folder, the corresponding original image will be deleted as well.

Creating a Movie from the Still Images

Editing Movies (MovieEdit Task)

You can link still images, insert text and background music, and add effects.



If you have an AVI file in your computer, you can use this function to edit the file.



3


Select images in the Browser area.

2 From the [Edit] menu, select [Movie Edit].

dit View	Internet	Window	Help	
Undo				ЖZ
Redo				ЖY
Cut				36X
Copy				ЖC
Paste				жv
Movie Edit.				
Extract fra PhotoStitch Edit with R	n			,
Keyword				
	r Pating			
Change Sta	ar Kaung			1

Arrange images and click [2.Effect].

- To change the order of images, select an image and click [Move Left] or [Move Right].
- Operational instructions are displayed in the upper section of the window.




Transition Box

Displays the symbol of the transition effect between linked images.

Apply effects to the images and click [3.Audio].

To set a transition effect, you need to select a transition box in the Storyboard Area.



5 Set the audio and click [4.Save].

4

You can add an MP3 or WAV file as audio.



6 Select a file type and click [Save].

- Select the destination folder, input the file name and click [Save].
- To exit MovieEdit Task, from the [MovieEdit Task] menu, select [Quit MovieEdit Task].

	00	MovieEdit Task
		Save the edit results. Click [Save] button to save the edit results.
	1.Arrange	2.Effect 3.Audio 4.Save
Select this to save as — Motion JPEG compressed AVI.	Save image type :	Auto-select Specify a save image type Motion-JPEG AVI Advanced Settings
AVI.	Save image type : Motion- File : .avi Video : Motion IPEC Openu Audio : 16-bit Little Endlar Total Time : 0:22.0	EC AVI ML, 540 X 240, 15,000 IPS I, 16,000 KHz, 16 bits, Monaural


Select this to save as either Motion JPEG compressed AVI or QuickTime movie.

Playing Back Movies

In the CameraWindow and Browser Area, movies are displayed with the first scene as a still image with a **T** (movie) icon.

1 In the Browser Area, double-click a thumbnail with a 🐙 (movie) icon.

Clicking the (Play) icon at the bottom of the image in the Main Window also plays back the movie.



2 Click the **I** icon in the [Image Viewer] window.




Changing the File Type and Saving

This task allows you to change the size, resolution or data of selected still images and save them as new files and allows saving the shooting properties of the still image to a text file or copying the still images with new names. Furthermore, you can export still images for use as a screen saver or a wallpaper.

Select an image you wish to export and [Export Image] from the [File] menu.

File	Edit	View	Internet	Window
Op	en			жо
Clo	se			жw
Sav	/e			₩S
Sav	/e As			合発S
Sea	arch			ЖF
Exp	oort Im	age		
Og	anizei	mage		•
Pro	cessin	g RAW I	mage	
Co	nnect t	o Came	ra	
Rev	write Ir	nage to	Memory C	ard
Pri	nt			•
Sou	und			•

2 Select exporting type and click [Next].



3 Specify the export settings and click [Finish].

The window varies depending on the selected export type in step 2.

When you have selected [Edit and Save Image]:

You can convert still images to another file type, resize and save them as new files. You can select the file type from BMP, PICT, JPEG and TIFF. You can also specify a prefix to be added to the exported still images.

	Edit and Save I	mage	
Resize the image			
Specify the length dimensional	ension	640	pixels
O Specify the width dime	nsion	480	pixels
Change the image type			
New image type	e JPEG	A Y	
Image Quality	Low	High	
Rename the file			
Initial text			
NEW	Sequence number i	s assigned automati	cally
Example: NEW0001.JPG			
Original file size	: 204KB		
File size after compression	1	Calculation	Preview
Save To:Macintosh	HD:Users:video:Pictur	es:200X_01_15	Browse.

When you have selected [Export Shooting Properties]:

You can select information you wish to export and save as a text file.

File N	ame ra Model				
Ecume	ing Date/Time				
	ing Mode				
	Effect Mode				
Tv(Sł	utter Speed)				
Av(A	perture Value)				
	ing Mode				
	ure Compensa				
Digita	I Exposure Cor	npensation			
Sel	ect All	\square	Deselect A	11	C
	File Name	Canon			
e To:	Macint	osh HD:e	s:200X 01	15	Browse.
S. 1997					

When you have selected [Export as a Screensaver]:

You can export and save the image as a screen saver.

The se	elected imag	ge will be exp	oorted as a so	creen save	r.
Name Anim	of Screen Sa al	aver			
Save T	ō				
			ary:Screen S		

When you have selected [Export an Image as Wallpaper]:

You can export and save the image as a desktop wallpaper. This task cannot be performed if you have selected multiple images.

Ex	port an Image as Wallpaper	
Sets the image as Wallpaper		
Specify Display Method	Fit to Screen	
	Cancel <	Back Finish

Extracting Still Images from Movies (MovieFrame Task)


You can extract still images from movies and save them as image files.

1 Select a movie and select [Extract frames from a movie] from the [Edit] menu.


dit	View	Internet	Window	Help	
Und	lo				ЖZ
Red	lo				36 Y
Cut					36 X
Cop	рy				ЖC
Pas	te				¥Υ
	t still in via Edu	nage			
	A REAL PROPERTY AND	mes from a	movie		_
	ROSTIE	of contract of the dependence of			
Edit	t with R	egistered /	Application		
Key	word				
Cha	ange Sta	ar Rating			•
		aracters			

2 Set the still image extraction method and click [2. Preview].


- [Extract all frames]: Extracts all frames in the movie as still images.
- [Specify an interval and extract frames]: Extracts frames as still images from a specified frame range or time interval.
- [Specify the number of copies and extract frames]: Extracts a specified number of still images from the entire movie. The extraction interval is calculated based on an equal distribution of the specified number of still images.
- [Extract a specified image]: Extracts still images from scenes that catch your attention.



3 Confirm the still images which will be extracted (images with check marks) and click [3. Save].



- **4** Specify the file name and the folder where you wish to save it and click [Save].
 - Select the destination folder and click [Open] or [Choose].
 - To exit MovieFrame Task, from the [MovieFrame Task] menu, select [Quit MovieFrame Task].



Uploading Still Images to the camcorder

You can copy still images saved on the computer to the camcorder.


1

Connect the camcorder to the computer ($\square 23$).

2 Click the [Set to Camera] tab in the Camera Control window, and [Uploads images to the camera].



3 Select the still image you wish to add and click [Open]. You can check the selected image by clicking the file name.



- 4 In the Add image window, select the image size and click [Add].
 - The selected images will be recorded to the memory card.
 - When recording is complete, the images will appear in the CameraWindow.

1	Add image
After performing set up, add JPEC	; image.
• Add image as is	
O Send after changing the ima	ge to VGA size (640X480 dots)
	Cancel

1

Attaching Images to E-mail Messages

You can attach selected images to an e-mail message. If necessary, you can make the image file size smaller.

Select the images you wish to send in the Browser Area.

2 From the [Internet] menu, select [Create Image for Email].




3 Specify the image size and click [Finish].

Image Settings	It is recommended that the total file size of
Using the recommended settings.	attachments be limited
O Using custom settings.	to 1 MB or less. To reduce file size, carr
O using custom seconds.	out one of the
Custom Settings	operations below.
	-Reduce the number of
 Confirm Current 	images selected.
	-Click the [Custom
	Settings] button and
	adjust settings.

• If you select [Using custom settings.], change the settings in [Custom Settings] and click [OK].

Still Image Size:	Small (640x480 pixels)
Sun mage Size.	
Still Image Quality:	High
Movie Playback Time:	• Quick Play (5 seconds)
	Original Time
Movie Quality Settings:	€ Low Image Quality (Size: 160x120 Frame Rate:8fps)
	Original Image Quality
Original Size	216 KB
Modified File Size:	Click Calculate button
(Calculate Still Image Preview
isplay Warning Message	
🗹 Display warning message if	the modified file size is larger than the maximum attachment size below
	Maximum attachment size: 1 MB
fter Finishing the Task	
Start email application after	


• The image will be saved to the [Email Images] folder in the explorer view section.





- Note that some e-mail software may not start automatically. For details, refer to the Help menu of the OS you are using.
- You can also set the e-mail software that starts automatically after the image is created. To do so, click the [Applications] folder on the drive where the OS was installed and then double click the [Mail] icon. Next, in Mail preferences, click [General] and then configure [Default Email Reader].
- The images in the [Email Images] folder are saved in the following location: Open the [Users] folder, followed by [User login name], [Library], [Preferences], [ImageBrowserUserData], and [Mail].

From the [View] menu, select [Slide Show Options].



2 Select the slide show settings and click [OK].

- [Auto Play]: Select the interval by sliding the control under [Play Interval] (from 1 to 30 seconds).
- [Control with Mouse or Keypad]: Advances the slide show manually with the mouse or keyboard.
- [Repeat Continuously]: Runs the slide show in a loop.
- [Hides buttons]: Hides the buttons during the slide show.
- [Transition Effect]: Select the transition effect to be used when moving from one slide to another. When you select an effect, you can check the effect in the preview window.

🖲 Auto Play		
Play Interval		1 Se
Control with Mou	iseorKeypad	th th
Repeat Continuo	usly	
Hides buttons		
sition Effect		-
Random	•	A
		Constant of Service and

3 Select the images and select [Slide Show] from the [View] menu.

Click
on the lower right of the screen to end the slide show.


68

Adding Sound to a Still Image


- To add sound to still images, use the Mac OS recording function. Depending on the computer, you may need to connect peripherals such as microphones. Check if your computer settings allow recording.
- The sound cannot be played back on the camcorder.

In the Browser Area, select a still image and select [Sound] [Record] from the [File] menu.

The recording window appears.



2 Click and start recording when the [Save] button is enabled.



3 Click [Save] to stop recording.

- [] appears on the still image.
- The sound file will be copied in AIFF type (extension ".AIF") to the same folder as the still image.
- To play back the sound, select an image with a sound icon and select [Sound]
 [Play] from the [File] menu.



1

- To remove sound from a still image, select [Sound] ▶ [Send to Trash] from the [File] menu. [♪] disappears and the copied sound file will be deleted.
- While playing back the sound, select [Sound] ▶ [Pause] or [Stop] to control the status.

Reviewing and Changing the Owner Name of the Camcorder

You can change and confirm the owner's name of the camcorder.

- **1** Connect the camcorder to the computer (\square 23).
- **2** Click the [Set to Camera] tab and click [Confirms/changes camera settings] in the Camera Control window.



3 Enter the camcorder's owner's name and click [OK].

	Camera Settings		
	Camera Model	4	Canon * * * * *
	Firmware Version	:	1.0.0.2
	Owner's Name		
Input the camcorder's owner's name — here (up to 31 characters).	Canon		
	C	Apply	Cancel

Uninstall the software when you wish to delete it from your computer or when reinstallation is required to fix corrupted files.

Uninstalling ImageBrowser

Move the program's folder and subfolders into the Trash to uninstall programs such as ImageBrowser.



• If the program folders contain subfolders into which images have been saved, be careful not to accidentally delete those subfolders.

o For more details on how to uninstall ImageBrowser, refer to Read Me.

Connection

- **Camcorder is not recognized when connected to the computer.**
 - → There is no memory card in the camcorder. Insert a memory card into the camcorder.
 - → The camcorder is not set to the correct mode. Set the camcorder to still image playback mode.
 - → Camcorder is not correctly connected to the computer. Read Connecting the Camcorder to a Computer (□ 23) and check the connection.

Ensure that you are using the correct cable and that its connectors are in good shape.

➔ If you are experiencing operational problems, detach the USB cable from the camcorder and computer and terminate the connection. Restart the computer and then reconnect the camcorder.

ImageBrowser Operation

- Cannot download still images.
 The camcorder is not set to the correct mode. Set the camcorder to still image playback mode.
- Image files or folders do not appear in ImageBrowser.
 - ➔ Images or folders shown in ImageBrowser and the actual file contents may be different.

Click the [View] menu and select [Refresh].



CANON INC.

U.S.A. ————	Canon U.S.A., Inc. Canon Customer Care Center Tel (US): 1-800-828-4040 (MonFri., 9 AM to 8 PM Eastern Time)
CANADA	Canon CANADA Inc. Tel (Canada): 1-800-OK-CANON (1-800-652-2666)
ASIA	Canon Hongkong Co., Ltd. 19/F., The Metropolis Tower, 10 Metropolis Drive, Hunghom, Kowloon, Hong Kong Phone: 852-2170-2828 Fax: 852-2723-9684

The information in this manual is verified as of 1 February 2008.