

Supplement NMPJ Ver. 1.1 User's Manual

Networked Multi-Projection Overview

Networked Multi-Projection Setup and Instructions

Operation in Each Mode

Functions

Table of Contents

Safety Instructions4
Federal Communication Commission Notice4
Canadian Radio Interference Regulations4
Open Source Software7
Networked Multi-Projection
Overview9
Introduction to Networked Multi- Projection10
Installation12
System Requirements 12
Installation13
Uninstallation15
From Startup to Shutdown19
Operation in Each Mode25
Using the Projector in Direct
Mode26
Procedure 26
Direct Mode Window 28
Using the Projector in Meeting
Mode30
Creating a Session30
Joining a Session35
Meeting Mode Window36
Using the Projector in Classroom Mode38
Leading a New Session38
Joining an Existing Session 42
Classroom Mode Window (Starting a Session)44
Classroom Mode Window (Joining a Session)46
Using the Projector in Broadcast Mode48
Procedure
Broadcast Mode Window 50
Functions53
Using the Session Selection Menu54
Session Selection Menu54
Finding Sessions

Using the Projector Selection Menu	56
Projector Selection Menu	5(
Using Layout Functions	6(
Completing Software Projection Settings	
Reducing Windows to a Compac Size	
Split-Screen Display With Non- Network Sources	69
Tips for Better Networked Projection	7(
Restrictions	71

Use of this manual

This manual does not provide the detailed description of basic operation and functions for computer, web browser, projector and network. For instructions about each piece of equipment or software, please refer to the respective manual.

Trademarks

Ethernet is a registered trademark of Xerox Corporation. Microsoft, Windows. Windows Vista, Windows 7 and Windows 8 are registered trademarks of Microsoft Corporation in the United States and other countries. Internet Explorer is a registered trademark of Microsoft Corporation. JavaScript is a registered trademark or trademark of Oracle Corporation and its subsidiaries and affiliates in the United States and other countries.

Mac, Mac OS and Macintosh are registered trademarks of Apple, Inc. in the USA and other countries. PowerPC is a registered trademark of IBM Corporation. Intel Core is a registered trademark of Intel Corporation in the USA and other countries.

Other product or brand names in this manual are registered trademarks or trademarks of their respective owners.

- * Unauthorized use of a part or whole of the contents in this manual is prohibited.
- The contents of this manual are subject to change without notice.

Symbols Used in This Manual

Meanings of the symbols used in this manual are as follows.





Indicates supplemental information to note in use.

Safety Instructions

Federal Communication Commission Notice

Multimedia Projector, Model: WUX6000

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio / TV technician for help.

The cable with a ferrite core provided with the projector must be used with this equipment in order to comply with Class B limits in Subpart B of Part 15 of the FCC rules.

Use of a shielded cable is required to comply with class B limits in Subpart B of Part 15 of FCC Rules.

Do not make any changes or modifications to the equipment unless otherwise specified in the instructions. If such changes or modifications should be made, you could be required to stop operation of the equipment.

Canon U.S.A. Inc.

One Canon Park, Melville, New York 11747, U.S.A.

Tel No. (631) 330-5000

▲ CAUTION IN USING THE PROJECTOR VIA NETWORKS

- When you find a problem with the projector, remove the power cable immediately and inspect the unit. Using the projector with failure may cause fire or other accidents.
- If you remotely use the projector via networks, carry out a safety check regularly and take particular care to its environment. Incorrect installation may cause fire or other accidents

Caution in using network function

 We assume no responsibility for the loss or damage of data, or damage of the computer caused by using this projector. Making back-up copies of valuable data in your computer is recommended.

Safety instructions

Please read and understand all instructions thoroughly before using.

About safety symbols

The following symbols are used in this manual to alert you to important safety information. Always observe the instructions to reduce the risk of injury and property damage.



Indicates a potentially hazardous situation which, if not avoided, may cause death or serious injury.



Indicates a potentially hazardous situation which, if not avoided, may cause minor or moderate injury.

Safety information

Marning

Always mount and operate the product in accordance with the safety instructions specified by the projector and peripheral equipment makers.

- Do not attempt to disassemble or service the product yourself. Doing so may result in a fire, an electric shock, or product damage.
- If the projector emits a strange odor, or makes a strange noise, immediately turn the power and peripheral equipment off, unplug these devices, and contact your dealer.
- Do not drop the projector or subject it to strong shocks. Doing so may result in damage to the internal parts, an electric shock, a fire, or product damage.

A Caution

 Do not touch the projector with wet hands when the power cord plugs of the projector or peripheral equipment inserted into the electrical outlet.
 Otherwise, an electric shock may result.

Open Source Software

The NMPJ software incorporates third-party software modules. For details, refer to the "Third-Party Software" PDF file on the included installation CD-ROM, in [thirdparty_software] > [NMPJ] > [LICENSE]. Each module's license conditions are also available in the same folder.

NO WARRANTY

BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING. REPAIR OR CORRECTION.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

NO SUPPORT

Canon Inc., and all its subsidiaries or its dealers do not make any support service regarding the source code. Canon Inc., and all its subsidiaries or its dealers shall not respond to any questions or enquiries, from you or any other customers, regarding the source code.

Networked Multi-Projection Overview

Networked Multi-Projection Overview

Operation in Each Mode


Functions

Introduction to Networked Multi-Projection

Networked Multi-Projection (NMPJ) is a projector function enabling projection of computer screens over a local network.

■ Projection Over a Network

Using this software, you can link multiple computers and multiple projectors, for a variety of projection scenarios.




Links computers and projectors via a network connection.

Direct Mode

■ Split-Screen Projection of Multiple Images

Images from multiple computers can be projected at once, with the images projected in separate areas of a single screen.




Projection of multiple computer screens in split-screen display.

· Meeting Mode, Classroom Mode

■ Projection of an Image from Multiple Projectors at Once


Images from a single computer can be projected from multiple projectors at once.



Projection of one computer screen from multiple projectors.

Meeting Mode, Classroom Mode, Broadcast Mode

Introduction to Networked Multi-Projection




Among multiple computers in a network, projection of one computer screen from multiple projectors.

· Classroom Mode, Meeting Mode

For multi-monitor computers, you can project either the primary or secondary monitor.


■ Selecting the Projection Monitor



Select the primary or secondary monitor for projection

• Direct Mode, Meeting Mode, Classroom Mode, Broadcast Mode

For each computer, you can select the monitor to project.



Select the primary or secondary monitor of each computer

· Classroom Mode



- With some computers, it may not be possible to switch between projection of the primary and secondary monitor.
- Software responsiveness may decline when many computers and projectors are connected over the network.
- For computers that support three or more monitors, the monitor used for projection varies depending on the model of computer.

Installation

To use the NMPJ function, you must install the NMPJ software (hereafter, "the software") on the computers to be used.

Instructions in this manual are for installation in a Windows 7 environment.

System Requirements

Software system requirements are as follows.

CPU Core 2 Duo P8600, 2.4 GHz or higher (32- or 64-bit)

Memory 1 GB or more HDD 32 GB or more

Monitor Resolution: 1024x768 dots or more



Cannot be installed on computers without a minimum resolution of 1024x768. Additionally, operation is not ensured if the resolution is switched to less than 1024x768 after installation.

Operating System

Windows Vista (Business) SP2

Windows 7 (Home/Professional/Ultimate) SP1

Windows 8 (Pro) Windows 8.1 (Pro)

- * Windows Vista compatibility is limited to 32-bit editions.
- * Both 32- and 64-bit editions of Windows 7 and later are supported.



- Operation is not ensured in other operating systems or editions.
- Menus are in English in all cases, except in Japanese and Simplified Chinese versions of the software.
- Operation is not ensured in operating systems other than English, Japanese, or Simplified Chinese OSes.

Network

In TCP/IP network environments, projectors can be connected to computers via the following LAN connections. Wired LAN (1000BASE-T, 100BASE-TX)



- Although the software also supports computer-projector communication over a router, operation is only ensured over one router hop. Additionally, to use Broadcast mode (P48) with projectors in other subnets, the router must support IPv4 multicast routing. Note that the router must be set up to route multicast addresses used by the software.
 - If you are using an Aero style in Windows, this message may be displayed: "Do you want to change the color scheme to improve performance?"

Magnification Display magnification:

Cannot be installed on computers with display magnification set higher than 200%.

Installation

The software is stored in the projector's internal memory. To install it on a computer, use a web browser on the computer to access the projector and download the software.

For instructions on connecting the projector to a network, refer to the projector user's manual.


1 On the computer, start a web browser and connect to the projector.

For instructions on accessing the projector's web screen from a browser, refer to the projector user's manual.



For instructions on checking the projector's IP address, refer to the projector user's manual.

- 2 Click [Network Multiple Projection Download].
- 3 Click [Download].



4 When a confirmation message is displayed, click [Run].



5 If a [User Account Control] message is displayed, click [Yes].



6 Next, follow the instructions displayed to complete the installation process.

- •
- Confirmation or warning messages may be displayed during installation or uninstallation.
 - These messages request administrator credentials from the current user. If you are logged in as a user with administrator credentials, click [Yes] (or [Continue]) to continue.
- Depending on the software, you may not be able to continue without administrator credentials. If you are logged in as a standard user, switch to an administrator account and try again.
- You may need to restart the computer to complete the installation process. If restarting is requested, be sure to restart the computer.
- The software cannot be installed when the following setting is used in Windows 8.1.
 Control Panel > All Control Panel Items > Display > "Let me choose one scaling level for all my displays" selected > "Extra Large 200%" selected.
 Install the software using a setting other than "Extra Large 200%."

■ Updating the Software

If the version of the software installed is older than a version available on a projector, you can update it by following the normal installation procedure. During the installation process, the version available is compared to the version installed, and if it is newer, the current version is overwritten as the new version is installed. If overwriting is not necessary, the installation process ends.



Software Versions

The version of the software stored on the projector's internal memory is 1.1.


- Any projectors purchased previously may have been shipped with version 1.0 of the software stored internally.
- The software will automatically detect if a newer version of the software is available on a projector. In this case, a message is displayed to notify you.

Uninstallation


■ Windows 7 or Earlier

These instructions are for uninstallation in Windows 7 or earlier versions of Windows.


1 Select [Start] > [All Programs] > [Canon NMPJ] > [Uninstall network multiple projection].



2 If a [User Account Control] message is displayed, click [Yes].




3 After the confirmation message is displayed, click [OK].



Uninstallation

4 After uninstallation is finished, click [OK] when the confirmation message is displayed.



- You may need to restart the computer to complete the uninstallation process. If restarting is requested, always restart the computer.
- 5 Delete the following folder manually.

Windows Vista

C:\Users\<User Name>\AppData\Local\Canon\NMPJ

Windows 7

C:\Users\<User Name>\AppData\Local\Canon\NMPJ

These files are hidden. To view hidden files, follow these steps.

Windows Vista

To view hidden files in Windows Explorer, select [Folder options] > [View] > [Show hidden files, folders, and drives].


Windows 7

In Windows Explorer, select [Tools] > [Folder Options] > [View] > [Show hidden files, folders, and drives].

■ Windows 8 or Later

These instructions are for uninstallation in Windows 8 or later versions of Windows.


1 On the [Apps] screen, right-click the [Canon NMPJ] application icon.



In the menu displayed at the bottom of the [Apps] screen, click [Uninstall]. Otherwise, click [Uninstall] in the app bar and then [Uninstall] again on the screen displayed next.




3 In the [Programs and Features] screen that is displayed, select [Canon NMPJ].




Uninstallation

4 Select [Uninstall/Change].



5 After the confirmation message is displayed, click [OK].



- You may need to restart the computer to complete the uninstallation process. If restarting is requested, always restart the computer.
- 6 Delete the following folder manually. Windows 8

C:\Users\<User Name>\AppData\Local\Canon\NMPJ

Windows 8.1

C:\Users\<User Name>\AppData\Local\Canon\NMPJ

₹

These files are hidden. To view hidden files, follow these steps.

Windows 8 or later

In Windows Explorer, select [Tools] > [Folder Options] > [View] > [Show hidden files, folders, and drives].

From Startup to Shutdown


The procedure from software startup to shutdown is as follows. Example windows shown here are from Direct mode.

(Windows 8 or Later)

1 Select [Start] > [Apps] > [Canon NMPJ] > [Network Multiple Projection].

(Windows 7 or Earlier)

1 Select [Start] > [All Programs] > [Canon NMPJ] > [Network Multiple Projection].



From Startup to Shutdown



Windows Firewall


The following alert may be displayed the first time you start the software, depending on your Windows Firewall settings.

To enable communication with projectors, select all check boxes and click the [Allow access].



To change the settings after closing the alert, open the [Start] menu and select [Control Panel] > [System and Security] > [Windows Firewall] > [Allow an app through Windows Firewall].

Select [CANON Network Multiple Projection] in the list of allowed apps and features, and then select each check box.



If the computer is equipped with multiple network adapters, or if one network adapter has been assigned multiple IP addresses (IP aliases), a selection screen is displayed. Click [OK] next to the desired network adapter.



- The same three buttons are shown in the upper right of this window and subsequent windows. (Additional buttons are shown on some windows.)
- [] View software help.
- Minimize the window to the taskbar. To view the window again, click the taskbar icon.
- [X] Close the window.
- **3** On the mode selection window, click the desired mode.



(1) Direct Mode

When one computer is connected to one projector. (P28)

(2) Meeting Mode

When multiple computers are connected to multiple projectors. Useful when showing multiple computer screens during meetings or other events. (P36)

(3) Classroom Mode

When multiple computers are connected to multiple projectors. Gives a single computer (in the role of presenter) control over which computer screen and which projector is used for projection. (P44)

From Startup to Shutdown

(4) Broadcast Mode

When a single computer is connected to multiple projectors. Useful when multiple projectors are installed at various positions in an auditorium to project the same image. (P50)


- **4** Depending on the mode, you can create, join, or select a projection session.
- **5** Click [Start projecting]. Click [Start projecting] on the window to start projection.




6 To stop projection, click [Stop projecting].




7 To return to the mode selection menu, click \blacksquare or \boxtimes in the upper right.



8 After a confirmation message is displayed, click [Return to menu].



9 To exit the software, click in the upper right of the mode selection menu.



■ Projection Sessions

A session consists of all the computers and projectors used in projection. In Meeting and Classroom modes, the first user must create a session for the computers and projectors involved. Other users join the session by selecting it from a list of sessions. In Broadcast mode, users can create a session automatically by selecting a projector.

Operation in Each Mode

Networked Multi-Projection Overview

Operation in Each Mode


Functions

Using the Projector in Direct Mode


In this mode, one computer is connected to one projector over the network.

Procedure

1 In the mode selection menu, select [Direct Mode].



2 The Direct Mode window is displayed. Click



To connect to projectors in another subnet, enter the projector's IP address in the [PJ IP address] field and click .

3 The projector selection menu is displayed. Click the projector to connect to.



•

For details on the projector selection menu, refer to "Using the Projector Selection Menu" (P56).

4 The Direct Mode window is displayed again. Click [Start projecting].




The computer screen is now projected.



- If the [NMPJ Password] setting has been configured on the projector's settings screen, enter the password. For details on NMPJ passwords, refer to the projector user's manual.
- · To stop projection, click [Stop projecting].

Direct Mode Window



(1) Help

View software help.

(2) Back to mode selection

Return to the mode selection menu.

(3) Compact display

View the window at a compact size. (P68)

(4) Minimize

Minimize the window to the taskbar. To view the window again, click the taskbar icon.

(5) Exit

Return to the mode selection menu.

(6) Projector list

View a list of projectors.

(7) IP address

To connect to projectors in another subnet, enter the projector's IP address here and click (8).

(8) Find projectors

Find the projector with the IP address entered in (7). Results of projector searching are shown in (9).

(9) Projector information

Indicates the projector name, notes, and the IP address of the projector selected in the list or found after searching by IP address.

(10) Password

Passwords for projectors on which [NMPJ Password] on the projector's settings screen has been configured must be entered here before projection. For details on NMPJ passwords, refer to the projector user's manual.

(11) Start

Start projection by the selected projector. During projection, this button is labeled [Stop projecting] and can be clicked to stop projection.

(12) Switch primary/secondary monitor

A number is shown here only when secondary monitor connectivity is activated on the computer. Clicking the number will switch between the primary and secondary monitor.

(13) Blank the projector

Pause projection. Click again to resume projection.

(14) Settings

Display the settings window. (P66)


(15) Projection status

Indicates the projection status.

In meeting mode, multiple computers are connected to multiple projectors. This mode is intended for group meetings where multiple computers are used. Up to ten computers and six projectors can be connected.

Creating a Session

1 In the mode selection menu, select [Meeting Mode].




2 The session selection menu is displayed. Click [New].



3 The projector selection menu is displayed. In the list of projectors at left, click the projector to connect to.

You can select up to 6 projectors. Selected projectors are listed at right.






- If the [NMPJ Password] setting has been configured on the projector's settings screen, the password is now requested. Enter the password. For details on NMPJ passwords, refer to the projector user's manual.
- To clear a selected projector, click in the upper right of that projector listing.
- For details on the projector selection menu, refer to "Using the Projector Selection Menu" (P56).

4 Click [Next].



A window for creating the session is displayed. Specify a session name, password, nickname, backward compatibility, and desktop (primary or secondary monitor for projection), and then click [OK].





- If you choose to set a session password, other users must enter that password to join the session. To set a password, click [Set] and enter the password.
- In the backward compatibility setting, specify session compatibility.
 Although specifying [ON] enables projectors or computers running NMPJ V1.0 to join the session, some features (such as voice functions and PbyP) will not be available.
 Specifying [OFF] will restrict session compatibility and available functions to those of the projector selected when the session was created.


In this case, when only projectors compatible with NMPJ V1.1 are selected, projectors or computers running NMPJ V1.0 cannot join the session, but all NMPJ V1.1 functions will be available.

Otherwise, if some projectors running NMPJ V1.0 are included, projectors or computers running NMPJ V1.0 can join the session, but features such as voice functions and PbyP will not be available.

- Desktop selection is only available with computers that have dual monitor support.
- 6 The Meeting Mode window is displayed. Select a projector to control from the pull-down list.



In the list at right, select a computer to use with your designated projector. Drag the computer to a desired position in the layout area. You can arrange up to four computers as desired in the layout area.




8 Drag the computers for use in projection in the layout area to rearrange them, as needed.

During projection, screens of each computer will be arranged according to their position in the layout area.




9 Click [Start projecting].



Images are now projected from the computers in the layout area.



- To stop projection, click [Stop projecting].
- To rearrange the layout during projection, click [Start projecting] again. Note that if you simply rearrange the layout, the new layout will not be applied to projection.
- 10 To end the session, click \blacksquare or \boxtimes in the upper right.



11 The following confirmation message is displayed. To end the entire session, click [Close]. To leave the session, click [Exit].




Return to the mode selection menu.



[Exit] is not shown unless other computers are connected.

Joining a Session


1 In the mode selection menu, select [Meeting Mode].



2 The session selection menu is displayed. Click [Enter] next to the session to join.




- To join a session in another subnet, click and enter the projector's IP address to locate the projector. The software will search for sessions in the other subnet. For details, refer to "Using the Session Selection Menu" (P54).
- 3 A session login window is displayed. Specify the session password, your nickname, and desktop (primary or secondary monitor for display), and then click [OK].



- Desktop selection is only available with computers that have dual monitor support.
- 4 The Meeting Mode window is displayed. Next, follow the instructions starting with step 6 in "Creating a Session" (P30).

Meeting Mode Window



(1) Help

View software help.

(2) Back to mode selection

Return to the mode selection menu.

(3) Compact display

View the window at a compact size. (P68)

(4) Minimize

Minimize the window to the taskbar. To view the window again, click the taskbar icon.

(5) Exit

Return to the mode selection menu.

(6) Projector list

View a list of projectors.

(7) Projector pull-down list

Lists connected projectors. Your actions on this screen apply to the projector selected here.

(8) Computers

Lists connected computers. To prepare computers for projection, drag them to the layout area. Your own computer is listed first.

In ____, the computer's display position is indicated by a white square.

(9) Blank the computer

Pause projection from the computer. Click again to resume projection.

(10) Settings

Display the setting window. (P66)

(11) Layout area

Drag computers to this area to assign their projection position.

(12) Computers in layout area

Computers here can be dragged to rearrange them. A number is shown here only when secondary monitor connectivity is activated on the computer. Clicking the number will switch between the primary and secondary monitor.

(13) Blank the projector

Pause projection from the projector. Click again to resume projection.

(14) View information

Project information needed by other users to join the session. The IP address projected is used by one of the projectors in the session.

(15) Start/stop projection

Start projection by the selected projector. During projection, this button is labeled [Stop projecting] and can be clicked to stop projection.

(16) Acquire screen layout


Indicates the layout of the selected projectors.

[Acquire screen layout] is not available when [ALL] is selected in the projector pull-down list (P37).

In classroom mode, multiple computers are connected to multiple projectors. A single computer in the role of presenter can control which computer screen (whether one's own or another participant's) and which projector is used for projection. Up to ten computers and six projectors can be connected.

Leading a New Session

1 In the mode selection menu, select [Classroom Mode].



2 The session selection menu is displayed. Click [New].



3 The projector selection menu is displayed. In the list of projectors at left, click the projector to connect to.

You can select up to 6 projectors. Selected projectors are listed at right.






- If the [NMPJ Password] setting has been configured on the projector's settings screen, the password is now requested. Enter the password. For details on NMPJ passwords, refer to the projector user's manual.
- To clear a selected projector, click in the upper right of the projector listing.
- For details on the projector selection menu, refer to "Using the Projector Selection Menu" (P56).

4 Click [Next].



5 A window for creating the session is displayed. Specify a session name, password, nickname, backward compatibility, and desktop (primary or secondary monitor for projection), and then click [OK].





- If you choose to set a session password, other users must enter that password to join the session. To set a password, click [Set] and enter the password.
- In the backward compatibility setting, specify session compatibility.
 Although specifying [ON] enables projectors or computers running NMPJ V1.0 to join the session, some features (such as voice functions and PbyP) will not be available.
 Specifying [OFF] will restrict session compatibility and available functions to those of the projector selected when the session was created.


In this case, when only projectors compatible with NMPJ V1.1 are selected, projectors or computers running NMPJ V1.0 cannot join the session, but all NMPJ V1.1 functions will be available.

Otherwise, if some projectors running NMPJ V1.0 are included, projectors or computers running NMPJ V1.0 can join the session, but features such as voice functions and PbyP will not be available.

- Desktop selection is only available with computers that have dual monitor support.
- 6 The Classroom Mode window is displayed. Select a projector to control from the pull-down list.



In the list at right, select a computer to use with your designated projector. Drag the computer to a desired position in the layout area. You can arrange up to four computers as desired in the layout area.



8 Drag the computers for use in projection in the layout area to rearrange them, as needed.

During projection, screens of each computer will be arranged according to their position in the layout area.



9 Click [Start projecting].



Images are now projected from the computers in the layout area.



- To stop projection, click [Stop projecting].
- To rearrange the layout during projection, click [Start projecting] again. Note that if you simply rearrange the layout, the new layout will not be applied to projection.
- 10 To end the session, click **III** or **X** in the upper right.




11 The following confirmation message is displayed. Click [Close].




Return to the mode selection menu.

Joining an Existing Session


1 In the mode selection menu, select [Classroom Mode].



The session selection menu is displayed. Click [Enter] next to the session to join.



- To join a session in another subnet, click and enter the projector's IP address to find the projector. The software will search for sessions in the other subnet. For details, refer to "Using the Session Selection Menu" (P54).
- 3 A session login window is displayed. Specify the session password, your nickname, and desktop (primary or secondary monitor for display), and then click [OK].



Desktop selection is only available with computers that have dual monitor support.

4 The Classroom Mode window (for joining a session) is displayed. Users joining sessions cannot change the projection layout or start or stop projection.



5 To end the session, click **III** or **X** in the upper right.




6 The following confirmation message is displayed. Click [Exit].



Return to the mode selection menu.

Classroom Mode Window (Starting a Session)



(1) Help

View software help.

(2) Back to mode selection

Return to the mode selection menu.

(3) Compact display

View the window at a compact size. (P68)

(4) Minimize

Minimize the window to the taskbar. To view the window again, click the taskbar icon.

(5) Exit

Return to the mode selection menu.

(6) Projector list

View a list of projectors.

(7) Projector pull-down list

Lists connected projectors. Your actions on this window apply to the projector selected here.

(8) Computers

Lists connected computers. To prepare computers for projection, drag them to the layout area. Your own computer is listed first.

In ____, the computer's display position is indicated by a white square.

(9) Blank the computer

Pause projection from the computer. Click again to resume projection.

(10) Settings

Display the setting window. (P66)

(11) Layout area

Drag computers to this area to assign their projection position.

(12) Computers in layout area

Computers here can be dragged to rearrange them. A number is shown here only when secondary monitor connectivity is activated on the computer. Clicking the number will switch between the primary and secondary monitor.

(13) Blank the projector

Pause projection from the projector. Click again to resume projection.

(14) View information

Project information needed by other users to join the session. The IP address projected is used by one of the projectors in the session.

(15) Start/stop projection


Start projecting by the selected projector. During projection, this button is labeled [Stop projecting] and can be clicked to stop projection.

(16) Acquire screen layout

Indicates the layout of the selected projectors.

[Acquire screen layout] is not available when [ALL] is selected in the projector pull-down list.

Classroom Mode Window (Joining a Session)



(1) Help

View software help.

(2) Back to mode selection

Return to the mode selection menu.

(3) Compact display

View the window at a compact size. (P68)

(4) Minimize

Minimize the window to the taskbar. To view the window again, click the taskbar icon.

(5) Exit

Return to the mode selection menu.

(6) Projector pull-down list

Lists connected projectors. Your actions on this window apply to the projector selected here.

(7) Layout area

Lists computers selected for projection.

(8) Projection status

Indicates the projection status.

(9) Computer

A number is shown here only when secondary monitor connectivity is activated on the computer you are using. Clicking the number will switch between the primary and secondary monitor.

(10) Blank the computer

Pause projection from the computer. Click again to resume projection.

(11) Settings

Display the setting window. (P66)

Using the Projector in Broadcast Mode


In Broadcast Mode, a single computer is connected to up to 12 projectors.



♠ Before projecting from projectors in other subnets in Broadcast Mode, you must configure the router's multicast routing settings. For details, ask your network administrator.


Procedure

In the mode selection menu, select [Broadcast Mode].



The projector selection menu is displayed. In the list of projectors at left, click the projector to connect to.

You can select up to 12 projectors. Selected projectors are listed at right.





- If the [NMPJ Password] setting has been configured on the projector's settings screen, the password is now requested. Enter the password. For details on NMPJ passwords, refer to the projector user's manual.
- To clear a selected projector, click in the upper right of that projector listing.
- For details on the projector selection menu, refer to "Using the Projector Selection Menu" (P56).


3 Click [Next].



4 The Broadcast Mode window is displayed. Click [Start projecting].



The computer screen is now projected.



5 To end the session, click **III** or **X** in the upper right.




6 The following confirmation message is displayed. Click [Close].



Return to the mode selection menu.

Broadcast Mode Window



(1) Help

View software help.

(2) Back to mode selection

Return to the mode selection menu.

(3) Compact display

View the window at a compact size. (P68)

(4) Minimize

Minimize the window to the taskbar. To view the window again, click the taskbar icon.

(5) Exit

Return to the mode selection menu.

(6) Projector list

View a list of projectors.

Using the Projector in Broadcast Mode

(7) Projection status

Shows the projected image status.

(8) Switch primary/secondary monitor

A number is shown here only when secondary monitor connectivity is activated on the computer you are using. Clicking the number will switch between the primary and secondary monitor.

(9) Blank the projector

Pause projection. Click again to resume projection.

(10) Settings

Display the setting window. (P66)

(11) Start/stop projection

Start projection by the selected projector. During projection, this button is labeled [Stop projecting] and can be clicked to stop projection.

Functions


Networked Multi-Projection Overview

Operation in Each Mode

Functions

Using the Session Selection Menu

Session Selection Menu



(1) Help

View software help.

(2) Back to mode selection

Return to the mode selection menu.

(3) Minimize

Minimize the window to the taskbar. To view the window again, click the taskbar icon.

(4) Exit

Return to the mode selection menu.

(5) [New]

Start a new session. (P30)

(6) Find session

Find sessions of projectors in another subnet. (P55)

(7) Session list

Lists the sessions detected. Information shown here includes the session name, creation date, creator nickname, and number of computers and projectors involved.

(8) [Enter]
Join the session. (P35)


Finding Sessions

You can find sessions from the session selection menu.

1 In the session selection menu, click \bigcirc .



2 The search window is displayed. Enter the IP address of a projector in the session to join, and then click to find the projector. Once sessions are found, they are listed.




Using the Projector Selection Menu

Projector Selection Menu

■ Other than Direct mode

■ Direct mode selected



(1) Find projectors

Find projectors in another subnet. (P57)

(2) **Sort**

Change the sort order of the projector list. (P59)

(3) Help

View software help.

(4) Back to mode selection

Return to the mode selection menu.

(5) Minimize

Minimize the window to the taskbar. To view the window again, click the taskbar icon.

(6) Exit


Return to the mode selection menu.

(7) Projector list

Projectors are listed here. Information shown here includes the projector name, notes, and the IP address.

A message is displayed if you click a projector that is not available, whether it is off, in use by other computers, or unavailable for other reasons. Clicking a listed projector will select it for use in the session, and it will be

shown in the field at right. Selected projectors are indicated by gray text.



(8) List of projectors used in the session

Projectors selected in the list at left are shown here. To remove projectors from this list, click .

■ Finding Projectors

To find projectors in other subnets, do the following in the projector selection menu.

1 In the projector selection menu, click .




2 The search window is displayed. Enter the projector's IP address, and then click .



Using the Projector Selection Menu


3 Once the projector is found, click [OK].



The selected projector is now added to the projector list.

■ Selecting Password-Protected Projectors

Selecting a password-protected projector will display a password input screen. Enter the correct password and click [OK].



An error is indicated on the password input screen if you enter an incorrect password, or if no password is entered.

Using the Favorites Function

You can register commonly used projectors as favorites.

Favorite projectors are listed first when you click the button (sort by favorites).

Up to five projectors can be registered as favorites.

To register a projector as a favorite, click the Favorites icon in the projector selection menu.



The projector is now registered as a favorite, and a star is displayed in the Favorites column.



■ Resorting the Projector List

You can change the sort order of projector information by clicking the sort buttons.



- List by projector name.
- List by notes.
- List favorite projectors first.

■ Turning Projectors On

A message is displayed if you click a projector that is currently off in the projector selection menu. (These projectors cannot be selected for projection.) You can turn them on by clicking [Access Projector] to display the projector web screen and switching the power on.




Use the web screen for subsequent operations. For web screen instructions, refer to the projector user's manual.

Once you turn a projector on, you can select it for other operations.

Using Layout Functions


■ Switching Projectors Used for the Layout

On the layout window, you can set up the projection layout. To choose a different projector for the layout, select it from the projector pull-down list.



■ Controlling all Projectors at Once

To set up the projection layout for all projectors at once, select [ALL] in the projector pull-down menu.



■ Projecting from Multiple Projectors (Multi-Projection)

In Meeting and Classroom Modes, separate images from multiple projectors can be projected together. This is called "multi-projection." On the layout window for Meeting or Classroom Modes, you can set up the projection layout for each projector used.

On the layout window for Meeting or Classroom Modes, specify the projection layout for each projector.

In the layout area, drag the computer to use in projection, and then click [Start projecting] to start projection.



2 In the pull-down list, select another projector to use.



3 Repeat steps 1 and 2 to set up the computers to use in projection from all projectors.

Switching the Primary/Secondary Monitor

Using the software, you can switch between projection from the primary or secondary monitor.

If your computer has dual monitor support, the computer icons are labeled with numbers. The primary monitor is labeled "1," and the secondary one, "2." To switch the monitor used for projection, click the icon of computers shown with a number.



■ Temporarily Enlarge Images

During display from multiple computers, you can enlarge projection from one of the computers. To enlarge the display, place the cursor over the computer in the layout area, click in the upper left, and then click [Start projecting]. The image from the selected computer is now projected in full-screen mode.

To cancel the enlarged display, place the cursor over the computer in the layout area again. Click [start projecting].



■ Projecting Session Information

You can project session information needed by other users to join a session, such as the session name and projector IP address. To project session information, click . To cancel display, click again.



■ Fully Blanking Projection

Blanking refers to temporarily stopping projection from computers, so that no image is projected. To blank projection, click . To cancel blanking and return to normal projection, click again.




Direct Mode window



Meeting Mode window



Classroom Mode window (starting a session)



Broadcast Mode window

■ Blanking Projection from Your Computer

In Meeting and Classroom Modes, you can blank projection your computer alone. To blank projection from your computer, click in the computer list. To cancel blanking and return to normal projection, click again.



Meeting Mode window



Classroom Mode window (joining a session)

■ Checking for Computers That Join or Leave Sessions

In Meeting and Classroom Modes, computer users can join or leave sessions as needed. Computers joining a session are added to the computers listed on the layout window.



Similarly, computers leaving a session are removed from the list of computers.



Completing Software Projection Settings

Software settings can be configured to specify the image quality of computer projection, user nicknames, and other details.

1 Click I next to the computer icon.



2 The settings window is displayed. Complete each setting as needed, and then click [OK].



Available settings are as follows. (Types of settings vary slightly by mode.)



When setting windows are displayed while layout windows are minimized to the taskbar, some information may be cut off.

Picture qual setting		ne of the following options, depending on your image quality and frame rate. : Projects at a lower frame rate while emphasizing image quality. Select this mode if lower image quality is not acceptable.
	Medium	: Projection with image quality and frame rate balanced.
	Low	 Projects at lower image quality to maintain a high frame rate. Select this mode to reduce the network bandwidth used for projection.
Real	On	 Projection matching the computer display resolution. Available under the following conditions.
		When projecting from a single computer— or during projection from multiple computers, when projecting an enlarged image from one computer—at a display
		resolution lower than the projector resolution.
	Off	: Automatically adjust the projection size to match the projector screen size.

unctions

Completing Software Projection Settings

Projection type Normal : Although some windows cannot be

projected, the cursor on the computer

monitor will not flash.

Advanced: Most windows can be projected, but the

cursor on the computer monitor will flash. (Only the cursor on the computer monitor will flash, not the cursor in projected

images.)

Specify audio transfer. This item is not displayed for sessions that include projectors or computers running

NMPJ V1.0.

Sound

On : Images displayed on the computer are transferred with accompanying sounds to

the projector. This sound is produced by the projector showing the images at the

same time as the images.

This function is available when projecting

from a single computer, or during

projection from multiple computers, when projecting an enlarged image from one

computer.

Although sound also stops when projection is blanked from the NMPJ software, sound does not stop when projection is blanked from a projector, by

activating the blanking function.

Volume is automatically adjusted by the

NMPJ software.

Off : Sounds are not transferred. Audio output

from the projector is stopped.

Nickname Nickname specified when creating or joining sessions.

Cannot be changed during sessions. This option is not

shown in Direct or Broadcast Modes.

67

be changed. Use this setting to change the multicast address if it conflicts with that of other network equipment. This option is only shown in Broadcast

Mode.

Reducing Windows to a Compact Size


A compact version of windows in all modes is available, showing only the minimum buttons and information needed.

1 Click .



The window is now reduced to a compact size.





2 To revert to original size, click 🔳 .



Split-Screen Display With Non-Network Sources

Split-screen display combining images transferred over a network with other input signals (HDMI, digital or analog computer, or component signals) is supported.



Network input cannot be combined with USB input for split-screen display. When a session includes projectors or computers running NMPJ V1.0, nothing is projected on the screen for the network source, because no signal is received.

Network sources can be used for both sides of split-screen display. For details on split-screen display, refer to the projector user's manual.



Split-screen display is only available when the screen is evenly divided on the left and right, not with 70:30 or 30:70 layouts.

Even when only one projector is used for split-screen display with images transferred from this software, image quality is automatically set to [Low] (to maintain transfer speed) and cannot be changed.

However, the image quality setting itself, on the setting screen, is not changed. The original image quality is restored once you finish with split-screen display.

Tips for Better Networked Projection

Avoid Exceeding Connection Limits

The maximum number of computers and projectors that can be connected varies by mode. When this limit would be exceeded, it is not possible to add computers or projectors to a session. Thus, if the total number of computer users requesting to join a session at the same time would exceed the limit, their requests may be denied. In this case, an error message is displayed on the computers that could not join the session.

Similarly, if the total number of projectors users attempt to add to a session at the same time would exceed the limit, their requests may be denied. In this case, a message is displayed on computers that could not add projectors, indicating that the projector list has been updated.

■ When Removing the Only Projector Listed

In Meeting, Classroom, and Broadcast modes, projectors can also be added or removed after sessions are created. However, a confirmation message is displayed if you attempt to remove the last connected projector in a session, which would leave no projectors in the session.

Operation if Devices Are Disconnected

If the connection is lost (for example, if a LAN cable is accidentally disconnected), the affected computer or projector leaves the session. Disconnection of essential computers or projectors will terminate a session.


For example, in Classroom Mode, disconnection of the presenter's computer will terminate the session.

■ If Projectors Cannot Be Detected

If projectors cannot be detected or no image is displayed (except for the cursor) when you are attempting to connect to projectors in other subnets in Broadcast Mode, make sure the router supports multicast routing. Routers that do not support IPv4 multicast routing cannot be used to connect to projectors in other subnets in Broadcast Mode. Note that the router must be set up to route multicast addresses used by the software.



In Broadcast Mode, the following message is displayed if no signal is received from computers for 30 seconds. The projector IP address and name are not identified.



Restrictions

■ Router Connections

Although the software can also link computers and projectors over a network via a router, operation is only ensured over one router hop. Note that before projecting from projectors in other subnets in Broadcast Mode, you must configure the router's multicast routing settings. For details, ask your network administrator.

■ Security Dialog Box Projection

The software cannot be used to project the Windows Security dialog box, normally accessed by pressing Ctrl+Alt+Del.

■ Screen Capture Software

It may not be possible to start the software while software that restricts screen captures is running.

■ Animated Cursors

Animation of animated cursors is not projected.

■ Alternative Cursors

Cursors used by some software may not be projected correctly. In this case, an arrow pointer is projected.

■ Projection Restrictions

Some windows and icons displayed on computers cannot be projected. Although switching the projection type to advanced will enable projection of more elements, not all elements can be projected even in this case.

Projected images may not always match the computer screens.

■ Network Bandwidth

Some network conditions may cause a delay in projection. The source may also be disconnected, if the connection is unstable.

■ Projection through Firewalls

Some software functions may not be available in environments where Windows Firewall or other software restricting network communication are installed.

■ Software Display

Software display may be distorted if you have adjusted the screen resolution in Windows.

Restrictions

■ Sound

- A valid playback device (default device) is required when the software starts up. If no such device is found, no sound will be produced.
- Sound may skip, or audio and video playback may be out of sync in some cases, due to computer settings or performance, or network conditions.
- In the following cases, no sound will be produced. To restore audio output, you
 must restart the software.
 - The playback device is deactivated when the software starts up
 - The playback device is disconnected when the software starts up
 - Playback device settings were changed
 - The playback device was switched to another device
 - The system has entered sleep or hibernation mode

■ Images

Video projection may not be as smooth as playback on the computer monitor in some cases, due to computer settings or performance, or network conditions.



CANON INC.

30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo 146-8501, Japan

U.S.A.

CANON U.S.A. INC.

One Canon Park, Melville, New York 11747, U.S.A.

For all inquires concerning this product, call toll free in the U.S. 1-800-OK-CANON

CANADA

CANON CANADA INC. HEADQUARTERS

6390 Dixie Road, Mississauga, Ontario L5T 1P7. Canada

CANON CANADA INC. MONTREAL BRANCH

5990, Côte-de-Liesse, Montréal Québec H4T 1V7, Canada

CANON CANADA INC. CALGARY OFFICE

2828, 16th Street, N.E. Calgary, Alberta T2E 7K7, Canada

For all inquiries concerning this product, call toll free in Canada 1-800-OK-CANON

EUROPE, AFRICA & MIDDLE EAST CANON EUROPE LTD.

3 The Square, Stockley Park, Uxbridge, Middlesex, UB11 1ET United Kingdom

CANON EUROPA N.V.

Bovenkerkerweg 59, 1185 XB Amstelveen, The Netherlands

CANON FRANCE S.A.S

17, quai du President Paul Doumer, 92414 Courbevoie Cedex, France

CANON UK LTD.

Woodhatch Reigate Surrey RH2 8BF, United Kingdom

CANON DEUTSCHLAND GmbH

Europark Fichtenhain A10, 47807 Krefeld, Germany

CANON ITALIA S.p.A.

Via Milano 8 I-20097 San Donato Milanese, Milano, Italy

CANON Schweiz AG

Geschäftsbereich Wiederverkauf, Industriestrasse 12, CH-8305 Dietlikon, Switzerland

CANON GMBH

Zetschegasse 11, A-1230 Wien, Austria CANON España, S.A.

Av. De Europa, 6 Alcobendas 28108 Madrid, Spain

CANON PORTUGAL S.A.

Rua Alfredo da Silva, 14 Alfragide 2610-016 Amadora, Portugal

CANON Belgium N.V. / S.A.

Berkenlaan 3, 1831 Diegem (Mechelen), Belgium

CANON Netherland NV

Neptunusstraat 1, 2132 JA Hoofddorp, The Netherlands

CANON LUXEMBOURG S.A.

Rue des Jones 21, L-1818 Howald, Luxembourg

CANON DANMARK A / S

Knud Hoejgaards Vej 1 DK-2860 Soeborg, Danmark

CANON OY

Huopalahdentie 24 PL 1 00351 Helsinki, Finland

CANON SVENSKA AB

Gustav III:s Boulevard 26 169 88 Solna, Sweden

CANON NORGE as

Hallagerbakken 110, Postboks 33, Holmlia, 1201 Oslo, Norway

CENTRAL & SOUTH AMERICA

CANON LATIN AMERICA, INC.

703 Waterford Way, Ste. 400 Miami, FL 33126, U.S.A.

ASIA

CANON (China) Co., Ltd.

15F Jinbao Building No.89 Jinbao Street, Dongcheng District, Beijing 100005, China CANON HONGKONG CO., LTD.

19 / F., The Metropolis Tower, 10 Metropolis Drive, Hunghom, Kowloon, Hong Kong

CANON SINGAPORE PTE. LTD.

1 HarbourFront Avenue, #04-01 Keppel Bay Tower, Singapore 098632

CANON KOREA CONSUMER IMAGING INC.

Canon BS Tower 5F, #168-12 Samseongdong, Gangnam-gu, Seoul, Korea

OCEANIA

CANON AUSTRALIA PTY. LTD.

1 Thomas Holt Drive, North Ryde, N.S.W. 2113. Australia

CANON NEW ZEALAND LTD.

Akoranga Business Park, Akoranga Drive, Northcote, Auckland, New Zealand